

## Central Offices Supplemental Information

### 1. Purpose

---

- 1.01** This index provides a listing of documents in Division 201.
- 1.02** This index reverted to Issue 1 in October 1990. Prior to that date there had been 99 issues of the index.

### 2. How to Use This Index

---

- 2.01** For additional index information, refer to *AT&T Master Index — 9-digit Numbered Documents* AT&T 000-000-002. The Master Index contains all divisional indexes.

### 3. Conventions Used

---

- 3.01** A bullet (●) indicates an item that has been added or changed since the previous issue of the index.
- 3.02** An open square (□) indicates a cancelled item. Information relating to the cancellation, if necessary, will be shown in a note following the item. Cancelled items and related notes will be deleted upon reissue of the index.
- 3.03** A square with an enclosed "A" (◻) indicates an archived item. An archived document is one that, in all probability, will never be revised and/or has had no distribution activity for an extended period of time. Archived documents can be ordered.

- 3.04** A solid square (■) indicates that distribution of this item is limited.
- 3.05** A solid circle with an enclosed "1" (⊙) indicates an item that will not be distributed on standing order.
- 3.06** A solid triangle (▲) indicates a TOP (Task Oriented Practice).
- 3.07** An electronic media symbol (Ⓢ) indicates an item is available on CD-ROM, magnetic tape, or other electronic media.
- 3.08** Addendums, revisions, and supplements are listed *above* the associated document. Appendixes are listed *under* the associated document.

### 4. How to Order Documentation

---

- 4.01** To order this document:
- Within the continental United States, call 1-800-432-6600.
  - In Canada, call 1-800-256-1242.

### 5. How to Comment on This Index

---

- 5.01** AT&T values your opinion. We would like to know how well the index meets your needs. Please send comments on this index to:
- AT&T Number Assignment Administrator  
2400 Reynolda Rd., Department 4151  
Winston-Salem, NC 27106-4696

## 6. Contents of Division

6.01 This division is arranged in layers as follows:

- 201-0 Indexes and Equipment Test Lists
  - 099 Customer Information Releases (CIRs)
- 201-1 Administrative Documents
- 201-2 Distributing Frames
  - 206/219 Protectors and Associated Connectors
  - 220 Conventional Distributing Frames
  - 221 Modular Distributing Frames
  - 222 COSMIC® (Common Systems)
- 201-3 Civil Air Defense Warning Systems
- 201-5 Announcement Systems, Timing Circuits, Tone Supply Circuits
  - 501 Subscriber Operated Time Announcement Service
  - 505 No. 1 and 1B Announcement Systems
  - 507 No. 3A Announcement Systems
  - 508/509 No. 4A, 6A, and 9A Announcement Systems
  - 511 No. 5A Announcement Systems
  - 513 No. 6A Announcement Systems
  - 515 No. 8A and 9A Announcement Systems
  - 517 No. 11A Announcement Systems
  - 518 No. 12A Announcement Systems
  - 521 14A Announcement System
  - 570/580 Timer and Tone Circuits
- 201-6 Alarm Systems and Order Wires, Miscellaneous Fuse Alarms, Emergency Line and Trunk Transfer Circuits, Alerting Systems, and Telemetry
  - 601 Emergency Alarm Circuits
  - 603 Fire Drill Alarm
  - 604 Fuse Alarms
  - 605 Major Audible Alarm
  - 607 Insulation Alarm Circuits
  - 610 Cable Pressure Telemetry
  - 611 Cable Gas Pressure Alarm Circuits
  - 612 CPMS (Cable Pressure Monitoring System)
  - 613 Cable Protection Alarm
  - 614/629 Alarm, Control and Distribution Circuits
  - 630/634 Alarm and Control System

- 635/637 TD/TH Radio Relay System
- 639 E1 Status Reporting and Control System
- 640/642 Television, LA, and Local Order Circuits
- 643 Status Assembling System
- 644 E2 Status Reporting and Control System
- 645 Group Alerting System
- 646 Wire Circuits
- 647 E3 Alarm System
- 650/652 Emergency Line Circuits
- 653 General Telemetry Processor

### 201-7 Operator Training Equipment and Common Switchboard Sections

### 201-8 Common System Features and Circuits

- 819/844 Miscellaneous Circuits
- 850 No. 1 Trunk Concentrator

### 201-9 Billing Systems

- 900 AMARC (Automatic Message Accounting Recording Center)
- 901 BDT (Billing Data Transmitter)
- 902 CAMA-C (Centralized Automatic Message Accounting — Computerized)
- 903 HOBIS/CCRS (Hotel Billing Information System/Centralized Credit Refund System)

## 7. Index

	Number	Issue	Subject
<b>201-0 Indexes and Equipment Test Lists</b>			
●	201-000-000	10	Numerical Index — Division 201 — Supplemental Information — Central Offices
	201-000-005	2	Alphabetical Index for Division 201
	201-001-011	16	Distributing Frames
	201-001-012	2	Sequence Signal Circuit
	201-001-013	4	Alarms
	201-001-014	6	Recorded Announcement Systems
	201-001-015	4	Dial Long Line Circuit
	201-001-016	7	Coin Station Test Line
	201-001-017	1	Video Supervisor Signal Supply — Miscellaneous Equipment
	201-001-018	5	PBX AIOD



Number	Issue	Subject	Number	Issue	Subject
Addendum	1		201-207-101	2	300-Type Connectors and Associated Protectors — Description
201-200-005	2	Frame Performance Measurement Plan	201-207-102	2	Cords, Plugs, and C Test Connector Used With 300-Type Connectors and 121-Type Protectors — Description — Conventional Main Distributing Frames
Addendum	1		201-207-301	1	300-Type Connectors and Associated Protectors — Maintaining Protectors
201-200-010	3	Frame Force Management	201-207-801	2	300-Type Connectors and Associated Protectors and 121-Type Protectors — Repair Procedures
201-200-012	1	Conventional Distributing Frame — Frame Rehabilitation Guide	201-208-100	4	3-, 4-, and 5-Type Protector Units — Description — Conventional Main Distributing Frames and Protector Frames
Addendum	2		201-208-103	2	Tools and Aids — Distributing and Protector Frames
201-200-013	2	Controlled Maintenance Plan — Description	201-208-106	4	303-, 305-, 309-, and 310-Type Connectors — Associated Cords, Plugs, and Test Connectors — Description — Conventional Distributing Frames
Addendum	1		Addendum	1	
201-200-014	2	Frameworker Performance Plan	201-208-107	1	302-Type Connectors — Description, Use, Installation, and Repair Procedures
201-200-015	3	Operational Review	Addendum	1	
201-200-050	4	Distributing Frame Systems Products Manual DFSPM	201-208-108	1	303-Type Connectors — Description, Use, Installation, and Repair Procedures
● Revision 1	2/93		Addendum	1	
Addendum	1		201-208-109	1	305-Type Connectors — Description, Use, Installation, and Repair Procedures
201-200-060	1	Distributing Frame Systems Practices	Addendum	1	
201-200-101	1	Incoming and Outgoing Trunk Distribution Centers in the No. 4A Toll Switching System — Description	201-208-110	5	307-Type Connectors — Description
			Addendum	1	
			201-208-111	1	308-Type Connectors — Description, Use, Installation, and Repair Procedures
			Addendum	1	
			201-208-112	1	309-Type Connectors — Description, Use, Installation, and Repair Procedures
			Addendum	1	
			201-208-113	2	310- and 310M-Type Connectors — Description, Use, Installation, and Repair Procedures
<b>201-206/219 Protectors and Associated Connectors</b>					
Addendum	1				
201-206-050	1	Cable Terminating Apparatus, Selection, Distributing, and Protector Frames			
201-206-101	2	C-, E-, and Similar Type Protectors Including 444-Type Jacks (301-Type Connector) — Description			
201-206-102	1	C-, E-, and Similar Type Protectors Including 444-Type Jacks (301-Type Connector) Associated Cords and Plugs			
201-206-301	1	C-, E-, and Similar Type Protectors — Maintaining Protectors			
201-206-501	2	Protectors and Protector Mountings — C-, E- and Similar Type — Heat Coil and Protector Spring Contact Tests			
201-206-701	1	444-Type Jacks — Requirements and Adjusting Procedures			
201-206-801	3	C-, E-, and Similar Type Protectors Including 444-Type Jacks — Piece Part Data and Replacement Procedures			

Number	Issue	Subject	Number	Issue	Subject
Addendum	1		201-220-302	2	93-Type Connecting Blocks — Description, Methods of Cross-Connecting, and Repair Procedures
201-208-114	2	311/311L-Type Connectors — Description, Use, Installation, and Repair Procedures	Addendum	1	
Addendum	1		201-220-303	4	89-Type Connecting Blocks — Description, Method of Cross-Connecting, and Repair Procedures
201-208-115	1	410- and 410M-Type Unprotected Connectors — Description, Use, Installation, and Repair Procedures	201-220-501	2	Inspections
Addendum	2		201-220-801	2	Terminal Strips — Repair Procedures
201-208-116	1	407-Type Unprotected Connectors, Description, Use, Installation, and Repair Procedures	<b>201-221 Modular Distributing Frames</b>		
201-208-803	1	KS-20100, L2 Test Set — Piece Part Replacement	201-221-101	3	Description — 1 and 2 ESS™ Switches
201-210-101	1	Wideband Distributing Frame — Picturephone® Central Office — General Description	201-221-102	3	Types of Protection — 1 and 2 ESS Switches
201-211-101	2	Central Office Terminating Unit for Integrated Protection System — Description, Installation, and Maintenance	201-221-103	2	ESS-Type Warning Markers and Guards
201-215-501	2	2A Range Extender — Miscellaneous Tests	201-221-105	2	ESS-Type Connecting Blocks — Description — 1 and 2 ESS Switches
201-216-101	1	Miniature Test/Talk System — Description — Distributing and Protector Frames	201-221-301	2	Method of Crossing-Connecting — 68G-, 68H-, 78A1, and 78B1-Type Connecting Blocks — 1 and 2 ESS Switches
201-216-102	1	Cords and Plugs — Description — Miniature Test/Talk System	201-221-501	2	Inspections — 1 and 2 ESS Switches
201-216-801	2	Miniature Test/Talk System — Piece Parts and Replacement Procedures — Distributing and Protector Frames	201-221-801	2	66- and 78-Type Connecting Blocks — Replacement Procedures — 1 and 2 ESS Switches
201-217-101	1	2000A ComPanel Description, Installation, and Operation	<b>201-222 COSMIC® (Common Systems Main Inter Connecting) Distributing Frame System</b>		
201-219-101	1	Protector Frames — Description	201-222-050	1	Planning, Engineering, Installation, and Operation — System Reference Guide
201-219-501	1	Protector Frames — Inspections	Addendum	1	
<b>201-220 Conventional Distributing Frames</b>			201-222-105	3	78C- and 112-Type Connecting Blocks — Description — COSMIC II Main Distributing Frame System
201-220-101	5	Description	201-222-120	3	COSMIC II Mini Combined Distributing Frame — Description
201-220-102	4	Types of Protection on A-Type Frames	201-222-301	4	Connecting Blocks — Method of Making Connections — COSMIC I Subscriber Main Distributing Frame System
201-220-103	5	Types of Protection — Description — B-Type Double-Sided Protector Frames			
201-220-105	1	Terminal Strips — Description			
201-220-301	4	Terminal Strips — Method of Making Connections			

Number	Issue	Subject	Number	Issue	Subject
201-222-320	1	112-Type Connecting Blocks — Method of Making Connections — COSMIC II Mini Combined Distributing Frame	201-501	<b>Subscriber Operated Time Announcement Service</b>	
201-222-501	2	COSMIC I — Main Distributing Frame System — Inspections	201-501-501	1	Control and Distributing Circuit — Tests
<b>DC Power Distribution</b>			201-501-502	1	Announcement Trunk Circuits — Tests
201-224-100	2	J86334A DC Power Distributing Frame — Operating Methods	<b>201-505 No. 1 and 1B Announcement Systems</b>		
201-224-101	3	J86334B, J86334C, and J86334D — DC Power Distributing Frames — Description and Operation	201-505-101	1	No. 1 and 1B — Time of Day Service — Description
<b>201-3 Civil Air Defense Warning Systems</b>			201-505-301	1	No. 1 and 1B — Time of Day Service — Method of Tracing Alarms
201-301-301	2	SD-95332-01 — Procedures in Case of Alarm	201-505-302	1	No. 1 and 1B — Time of Day Service — Method of Taking Equipment Out of Service
201-301-501	2	SD-95332-01 — Tests	201-505-501	2	No. 1 and 1B — Time of Day Service — Desk Circuits — Tests
201-302-501	9	Dial Pulse Receiving and Control Circuit SD-95685-01 — Maximum Five Lines and Public Signal Control Circuit SD-95688-01 — Tests	201-505-502	4	No. 1 and 1B — Time of Day Service — Incoming Distributing Circuits — Tests
201-303-501	7	Dial Pulse Receiving and Control Circuit SD-95743-01 — Maximum Eight Lines and Public Signal Control Circuit SD-95688-01 — Tests	201-505-503	1	No. 1 and 1B — Time of Day Service — Outgoing Distributing Circuits — Tests
Addendum	1		201-505-504	2	No. 1 and 1B — Time of Day Service — Announcement Trunk Circuits — Tests
201-304-501	9	Dial Pulse Receiving and Code Distributing Circuit SD-95678-01 — Maximum 200 Lines and Public Signal Control Circuit SD-95688-01 — Tests	<b>201-507 No. 3A Announcement Systems</b>		
201-305-501	1	System Dialing and Pulsing Tests — Branch Circuit Dialing Test	201-507-501	1	No. 3A — Control, Volume Limit Indicator and Tape Amplifier Circuits — Tests
201-306-501	2	Two-Way Signaling Repeaters — Tests	201-507-502	1	No. 3A — Control Circuit — Subcenter — Tests
201-307-501	4	Station Line Test Using Test Circuit SD-95746-01	201-507-503	1	No. 3A — Trunk Circuits and Associated Distributing Circuits — Tests
<b>201-5 Announcement Systems, Timing Circuits, Tone Supply Circuits</b>			<b>201-508/509 No. 4A, 6A, and 9A Announcement Systems</b>		
201-500-001	1	Interdivisional Alphanumeric Index — Announcement Systems and Related Equipment	201-508-501	2	No. 4A, 6A, and 9A — Subcenter — Distributing and Alarm Circuits — Tests
			201-509-501	2	No. 4A — Distributing and Alarm Circuits — Tests — Common Systems
			201-509-502	1	No. 4A — Announcement Trunks — Tests

Number	Issue	Subject	Number	Issue	Subject
<b>201-511 No. 5A Announcement Systems</b>			<b>201-520 CSRAF (Common Systems — Recorded Announcement Frame)</b>		
201-511-101	1	No. 5A — General Description	201-520-101	5	SD-97725-01, SD-97725-02, SD-97725-03, and SD-97725-04
201-511-301	1	No. 5A — Operation	201-520-301	4	SD-97725-01, SD-97725-02, and SD-97725-03 — Operating Procedures
201-511-501	4	No. 5A — Tests	201-520-501	3	SD-97725-01 and SD-97725-02 — Tests and Trouble Analysis
<b>201-513 No. 6A Announcement Systems</b>			201-520-701	4	SD-97725-01, SD-97725-02, SD-97725-03, and SD-97725-04 — Requirements and Adjusting Procedures
201-513-501	4	No. 6A Machine Intercepting Control Circuit — Tests	201-520-801	5	SD-97725-01, SD-97725-02, and SD-97725-03 — Piece-Part Data and Replacement Procedures
201-513-502	1	No. 6A — Machine Intercepting — Distributing and Alarm Circuit — Tests	<b>201-521 14A Announcement System</b>		
<b>201-515 No. 8A and 9A Announcement Systems</b>			201-521-101	5	14A Announcement System — Description and Operating Procedures — Common Systems
201-515-501	2	No. 8A and 9A — Tests	<b>15A Announcement System</b>		
<b>201-517 No. 11A Announcement Systems</b>			● 201-522-101	2	15A Announcement System — Description and Operating Procedures — Common Systems (6-93)
201-517-501	1	No. 11A — Tests	<b>201-570/580 Timer and Tone Circuits</b>		
<b>201-518 No. 12A Announcement Systems</b>			201-570-501	1	5A Timer — Tests
201-518-101	2	No. 12A SD-26435-01 — Description, Operation, and Maintenance — Common Systems	201-578-501	3	400A Tone Generator — (Receiver Off-Hook Tone) — Tests
<b>201-519 No. 13A, 13A+, and 14A Announcement Systems</b>			201-578-501	7	Tone Detector Circuit SD-94800-01 — Tests and Adjustments
Addendum	1		201-578-502	3	8A and 8B Tone Detectors (J94008A) (J94008B) — SD-99551-01 Tests and Adjustments — Common Systems
201-519-101	4	No. 13A — Description and Operating Procedures — Common Systems	201-579-501	3	Test Progress Tone Circuit SD-96603-01 — 2225-Hz Supply and Distributing Circuit — Tests
201-519-102	1	No. 13A+ Announcement System — Description and Operating Procedures	201-580-301	1	No-Such-Number Tone Supply Alarm Procedures, Manual Transfer and Trouble Clearing Procedures
201-519-103	1	No. 13A+ Announcement System — Description and Operating Procedures (Multiweight Format)	201-580-501	1	No-Such-Number Tone Supply Circuits — Tests
201-519-110	2	13A/14A Remote Record Unit (ALD3) — Description and Operating Procedures (6-82)			
201-519-120	1	13A/14A Remote Record Concentrator — Description and Operating Procedures (6-92)			
201-519-301	2	No. 13A SD-97753-01 — Operating, Testing, and Trouble Analysis Procedures — Common Systems			

Number	Issue	Subject
<b>201-6 Alarm Systems and Order Wires, Miscellaneous Fuse Alarms, Emergency Line and Trunk Transfer Circuits, Alerting Systems, and Telemetry</b>		
<b>201-601 Emergency Alarm Circuits</b>		
201-601-101	3	Description
201-601-501	2	SD-90642-01 — Separate In-coming Alarm From Distant Office — Tests
201-601-502	4	SD-90641-01 or SD-96052-01 Arranged for Automatic Fire Detection — Single Zone — Tests
201-601-503	6	SD-90560-01 or SD-96049-01 Arranged for Zone Indicating Lamps and Automatic Fire Detection — Multi-Zone — Tests
201-601-504	3	SD-90437-01 — Arranged for Code Signaling and Automatic Fire Detection — Tests
201-601-600	4	Alarm Relay Unit (ARU) — User Manual
201-601-605	1	Alarm Alerting Unit — Technical Description
<b>201-603 Fire Drill Alarm</b>		
201-603-501	1	Fire Drill Alarm Circuit SD-90086-01 Tests
<b>201-604 Fuse Alarms</b>		
201-604-501	3	Fuse Alarms for Miscellaneous Circuits — Tests
<b>201-605 Major Audible Alarm</b>		
201-605-501	1	Major Audible Alarm Circuit SD-95798-01 Arranged for Coded Signaling — Miscellaneous Tests
<b>201-607 Insulation Alarm Circuits</b>		
201-607-301	2	Cable Insulation Alarm Circuit SD-96348-01 — Method of Operation and Alarm Procedures
201-607-501	2	Cable Insulation Alarm Circuit SD-96348-01 — Tests
201-609-501	2	Low Insulation Alarm Circuit SD-62489-01 — Tests

Number	Issue	Subject
<b>201-610 Cable Pressure Telemetry</b>		
201-610-301	3	Central Control — Description and Operation — Toll Cable Pressure Transducer System
201-610-302	1	Central Control and Cable/Transducers — Trouble Locating Procedures
201-610-311	3	KS-20537, L1 Moduprinter and AP-20 Printer — Description, Operation, and Maintenance
201-610-501	5	Central Control — Test and Trouble Analysis Procedures
<b>201-611 Cable Gas Pressure Alarm Circuits</b>		
201-611-501	3	Cable Gas Pressure Alarm Circuit SD-90412-01 — Cable Protection Alarm Circuit SD-95025-01 and Calling-In Signal — Tests
<b>201-612 CPMS (Cable Pressure Monitoring System)</b>		
201-612-101	3	Remote and Satellite Terminals (SD-7C000-01, SD-2P035-01) — Description
201-612-301	4	Remote Terminal (SD-7C000-01) — Trouble Locating and Alignment Procedure
201-612-302	3	Remote Terminal SD-7C000-01 — Cross-Connections
201-612-311	4	Satellite Terminal SD-2P035-01 — Trouble Locating Procedures
201-612-312	2	Satellite Terminal SD-2P035-01 — Cross-Connections
201-612-313	1	Remote Terminal Test Set (J1C013AD, L1) — Description and Operations
<b>201-613 Cable Protection Alarm</b>		
201-613-501	2	Cable Protection Alarm and Calling-In Signal Circuit SD-55211-01 — Tests
<b>201-614/629 Alarm, Control and Distribution Circuits</b>		
201-614-501	1	60 I.P.M. Interrupter Alarm and Distribution Circuit SD-63899-01 or SD-63899-02 for Teletypewriter Equipment — Tests



Number	Issue	Subject	Number	Issue	Subject
201-615-301	1	Alarm Receiving Circuit SD-95418-01 — Taking Equipment Out of Service	201-632-010	1	Alarm Indication Log — Form E-3870 — Description
201-615-501	1	Alarm Receiving Circuit SD-95418-01 — Tests	201-633-301	1	D1 Order Wire Circuit — Substation and Main Station Units — Analysis and Clearance of Trouble
201-616-101	1	Centralized Status, Alarm and Control System — Description	201-633-501	1	D1 — Out-of-Service Tests
201-620-301	2	Audible and Visual Maintenance Alarm Equipment NS-01046-01 — Operating Methods, Alarm Procedures, Adjustment Procedures, and Trouble Locating Procedures	201-634-501	2	D2 Order Wire Circuit — Out-of-Service Tests
201-620-501	2	Central Office Audible and Visual — Maintenance Alarm Equipment NS-01046-01 — Tests	<b>201-635/637 TD/TH Radio Relay System</b>		
201-625-101	2	Telephone Order Wire Circuit SD-62476-011 — Selective Signaling — Description	Addendum	1	
201-626-101	1	Telephone Order Wire Circuit SD-55320-01 — 600-1500 Cycle Selective Signaling — Description	201-635-501	3	Sequence Signaling and Order Circuits — Tests
201-626-501	2	Telephone Order Wire Circuit SD-55320-01 and ES-55572-01 — 600-1500 Cycle Selective Signaling — Tests	Addendum	1	
201-627-101	1	600-1500 Cycle Selective Signaling Systems — Description	201-636-501	2	Remote Control Sending and Receiving Directors and Associated Sequence Signaling Circuits — Tests
201-628-101	1	Alarm Trunk Circuit SD-64542-01 for Use Between Main and Auxiliary Repeater Stations Description	Addendum	1	
201-629-501	2	Alarm Trunk Circuit SD-64542-01 — Alarm Trunk Control Circuit SD-55055-01 — Alarm Trunk Switching Circuit SD-55859-01 — Alarm Trunk Station Selecting Circuit SD-55860-01 — Tests	201-637-501	1	Distribution Fuse, Individual, Audible, and Visual Alarm Circuit SD-58230-01
<b>201-630/634 Alarm and Control System</b>			<b>201-639 E1 Status Reporting and Control System</b>		
201-630-010	2	B1 Alarm Indicator Record Forms — Description	201-639-100	1	General Description
201-630-101	1	B1 — Description	201-639-300	1	Operation
201-630-301	4	B1 — Method of Operation	201-639-501	1	Initial Trouble Diagnoses — Central Station
201-631-010	1	C1 — Forms and Records	201-639-503	3	Troubleshooting Procedures — Central Station
201-631-101	4	C1 Order-Wire Circuit — Description	201-639-504	4	Troubleshooting Procedures — Remote Station (J92615B1 and J92615B2)
201-631-501	4	C1 — Tests	<b>201-640/642 Television, L4, and Local Order Circuits</b>		
			201-640-501	2	Television Order Circuits and Associated Equipment — Tests
			201-641-101	1	L4 Order Circuit (L40C) and Express Order Circuit (XOC) — Description
			201-642-101	1	Local Order Circuit (LOC) — Cablemans Order Circuit (COC) — Description

Number	Issue	Subject	Number	Issue	Subject
<b>201-643 Status Assembling System</b>			<b>201-646 Wire Circuits</b>		
201-643-101	2	Description	201-646-101	4	4-Wire — General Purpose SD-1C245-01 — Description
201-643-301	2	Maintenance and Trouble Procedures	201-646-501	4	4-Wire — General Purpose SD-1C245-01 — Tests
201-643-501	1	Tests and Inspection — SD-5G144, SD-5G143, and SD-5G139	<b>201-647 E3 Alarm System</b>		
<b>201-644 E2 Status Reporting and Control System</b>			201-647-100	1	Description
Addendum	1		201-647-101	2	E3 Alarm Central — Description
201-644-100	4	Description — Overall System	201-647-301	2	E3 Central (J1P030A) Operation
201-644-110	2	Multidirectional Data Regenerator — Description	201-647-500	3	Initial Trouble Diagnosis
201-644-111	2	Alarm Reporting Remote — Description	201-647-501	2	E3 Central — Maintenance
201-644-112	3	Manual Alarm Central — Description	<b>201-650/652 Emergency Line Circuits</b>		
201-644-113	1	Status Polling Central — Description	201-650-501	1	Emergency Line or Trunk Transfer Circuit SD-95690-01 — Tests
201-644-114	1	Status Reporting Remote — Description	201-651-501	1	Lines Arranged for Manual Completion of Emergency Calls — Operation Test
201-644-142	1	Remote Call-up Test Set — Description, Operation, and Maintenance	201-652-501	1	Emergency Line Circuit SD-95336-01 — Tests
201-644-312	4	Manual Alarm Central Operating Procedures	<b>201-653 General Telemetry Processor</b>		
201-644-501	3	Initial Trouble Diagnoses	201-653-010	1	Telemetry Products — User Manual
201-644-503	5	Manual Alarm Central — Troubleshooting Procedures	201-653-011	1	General Telemetry Processor (GTP) — System Documentation
201-644-504	6	Alarm Reporting Remote — Troubleshooting Procedures	201-653-012	1	Telemetry Products — User Manual for Support Personnel
201-644-510	1	Troubleshooting Procedures — Multidirectional Data Regenerator	<b>E2A Telemetry</b>		
201-644-511	1	Troubleshooting Procedures — Status Reporting Remote	201-653-100	2	Electromagnetic Interference Warnings
201-644-513	1	Troubleshooting Procedures — Status Polling Central	201-653-102	4	Switching Control Center System — Description
201-644-550	1	Remote Station Connections and Central Station Display — Overall System — Tests — Interconnection and Display	201-653-103	1	Cable Pressure Monitoring System (CPMS) — Description
<b>201-645 Group Alerting System</b>			201-653-104	3	Status and Command Remote Applications — Description
201-645-501	2	Group Alerting System J95421 SD-95883-01 and SD-95884-01 — Tests	201-653-105	1	SCOTS-C1 Interface Remote — Description
			201-653-106	1	No. 4 ESS Network Management Central and Remote — Description
			201-653-107	1	CDO Satellite Remote — Description and Maintenance

Number	Issue	Subject	Number	Issue	Subject
201-653-108	1	No. 4 ESS — Combined Maintenance Operations — Center Description	201-705-501	3	Key Monitoring Circuit SD-96314-01 — MF and DC Keypulsing — DSA, Toll and CAMA Switchboards — Tests
201-653-109	1	Digital Alarm Scanner (DAS) — Description	201-710-301	1	Location of Crosses and Grounds in Switchboard Multiple
201-653-110	3	Advanced Telemetry Processor — Description and Operations	201-711-301	1	Removing Foreign Materials From Switchboard Jacks Using Tool Kit Per KS-6527
201-653-111	1	General Telemetry Processor — Description and Operations	201-712-501	3	Idle Trunk Indicating, Group Busy, and Answering Lamp Circuits — Tests
201-653-122	3	Alarm Processing Remote (APR) — System Description	201-715-501	3	MF Keyset Circuit No. 13C, 13D, 14C, 15C and 15D Switchboards — Output Level — 0 DBM Per Frequency — Tests
201-653-502	5	Switching Control Center — Central and Remote Maintenance	201-715-502	1	MF Keyset Circuit No. 13C, 13D, 14C, 15C, and 15D Switchboards — Output Level — 3 DBM Per Frequency — Tests
201-653-503	1	Cable Pressure Monitoring System — Telemetry-to-Computer Translator and Remote Maintenance	201-715-503	1	MF Keyset Circuit No. 13C, 13D, 14C, 15C, and 15D Switchboards — Output Level — 8 DBM Per Frequency — Tests
201-653-504	3	Status and Command Remote and Telemetry-to-Computer Translator — Tests	201-715-504	1	MF Keyset Circuits No. 13C, 13D, 14C, 15C, and 15D Switchboards — Output Level -6 DBM Per Frequency — Test
201-653-505	1	SCOTS-C1 Interface Remote and TCT — Maintenance	201-720-501	1	Coin Zone Operator Trunk Circuit SD-95851-01 — Tests Using Trunk Test Circuit SD-95875-01
201-653-506	1	No. 4 ESS Network Management Central and Remote Maintenance			
201-653-508	1	No. 4 ESS — Combined Maintenance Operations Center (CMOC) — Maintenance			
201-653-509	2	Digital Alarm Scanner (DAS) — Maintenance			
201-653-510	2	Advanced Telemetry Processor (ATP) — Maintenance			
201-653-511	1	General Telemetry Processor — Maintenance			
201-653-520	1	Telemetry Maintenance — Common Product Line Consideration			
201-653-522	3	Alarm Processing Remote (APR) — Maintenance			
201-653-530	1	Telemetry Customer Application Guide — Planning and Remote Selection			

**201-7 Operator Training Equipment and Common Switchboard Sections**

201-701-501	1	Operator Keypulsing Drill Circuit — Tests
201-702-501	1	Operator Training Circuit — CAMA Training Equipment — Tests

**201-8 Common System Features and Circuits**

**201-819/844 Miscellaneous Circuits**

201-819-501	2	Speed Test Circuit for Touch-Tone Automatic Dialers — SD-1C402-01 — Tests and Adjustments
201-820-301	1	Touch-Tone Calling Receiving Circuit (J99266) — Trouble-Location
201-821-301	2	Touch-Tone Calling-Receiving Circuit J99289 — SD-98148-01 — Trouble Location
201-822-301	2	Use of Compensating Resistance — Revertive and PC1 Pulsing Circuits
201-825-501	1	Private Line Conference Circuits With or Without Amplifiers — Tests

Number	Issue	Subject	Number	Issue	Subject
201-825-502	2	Private Line Conference Circuit SD-96391-01 — Transmission Tests	201-836-501	1	Video Supervisory Signal Supply Circuit SD-27909-01 Associated With Wideband Remote Switch Circuit SD-27900-01 — Tests
201-826-501	4	Auxiliary Line Circuit SD-99439-01 — Arranged for Measured Rate INWATS Service — Operation Tests	201-838-101	2	Remove Office Test Line (ROTL) — Control Panel — Description and Operation — Common Systems
201-828-501	3	Remote Testing Features SD-99308-01, SD-99311-01 — Far-End and Extended Remote Tests From Far-End — Tests and Trouble Locating Procedures — No. 14 and No. 16 Local Test Desk	201-838-701	1	Remote Office Test Line (ROTL) Control Panel — E6 Repeater Adjustment
201-828-502	4	Remote Testing Features and Circuits — SD-99309-01 and SD-99310-01 Near-End and SD-97559-01 Near-to-Far-End Tests and Trouble Locating Procedures — No. 14 Local Test Desk and No. 16 Local Test Desk	Addendum	1	
201-828-503	2	Local Test Desk (LTD) No. 14 — Test and Trouble Locating Procedures	201-840-501	2	Apartment Door Answering Service (ADAS) — ST-596038 — Central Office Tests
201-828-504	1	Local Test Desk (LTD) No. 16 — Tests and Trouble Locating Procedures	201-840-502	1	Apartment Door — Answering Service (ADAS) — NS-02506-01 — Central Office Tests
201-828-505	2	Local Test Cabinet No. 3 — Tests and Trouble Locating Procedures	201-841-301	1	Calendar and Clock Circuit SD-68591-01 — Clock Setting
201-829-501	1	U1 Carrier SD-1C151-01 — Central Office Unit — Test	Addendum	1	
201-830-301	1	Automatic Identified Outward Dialing Equipment — General Maintenance Procedures	201-842-100	1	Common Systems Message Printer SD-94865-01 — Description, Operating Procedures, and Maintenance
201-830-501	3	Alarms — Operation Tests — PBX Automatic Identified Outward Dialing Type A1 Equipment	201-843-501	2	Busy Line Verification — Limiting Amplifier SD-97761-01 — Transmission Tests
201-831-501	4	Automatic Identified Outward Dialing, Type A2 — Alarm Tests and Operation Tests Using Station Identification Test Circuit SD-1C235-01	201-844-100	2	97A Control Unit — Description and Maintenance
201-832-501	1	Dial Long Line Circuit SD-96588-01 — Test	<b>201-850 No. 1 Trunk Concentrator</b>		
201-832-502	5	Dial Long Line Circuits — SD-96589-01 — 96590-01 — 96591-01 — Tests Using Test Position SD-96594-01	201-850-101	3	No. 1 Trunk Concentrator — Description
Addendum	1		201-850-501	1	No. 1 Trunk Concentrator Circuit SD-97569-01 — Tests
201-833-501	7	Coin Station Test Line SD-1C297-01 — Tests and Trouble Locating Procedures	201-850-502	2	Outgoing Trunk Circuit to AIC SD-97570-01 — Transmission Tests — No. 1 Trunk Concentrator
			201-850-503	3	Outgoing Trunk Circuit to ACD SD-97578-01 — Direct Trunk or Via No. 1 TSPS — Transmission Tests — No. 1 Trunk Concentrator
			201-850-504	1	Trunks Terminating on No. 1 Trunk Concentrator — Incoming Trunk Frame — Trunk Transmission Tests

Number	Issue	Subject	Number	Issue	Subject
201-850-505	2	Outgoing Trunk Circuit to No. 23-Desk SD-97578-01 — Direct Trunk or Via No. 1 TSPS — Transmission Tests — No. 1 Trunk Concentrator	● 201-900-030	2	Introduction to Nongeneric Parameter Data (NPD) and Instructions for Preparation of NPD Forms — No. 1A AMARC, Generics 3 and 4
201-850-506	1	Outgoing Trunk Circuit SD-97578-01 to No. 1 ESS With CAMA — Transmission Sets — No. 1 Trunk Concentrator	● 201-900-031	2	Reproducible Nongeneric Parameter Data (NPD) Forms — No. 1 AMARC, Generics 3 and 4
201-850-511	3	Outgoing Trunk Circuit SD-97570-01 — Tests Using Portable Test Set J94747A — No. 1 Trunk Concentrator	Addendum	1	
Addendum	1		● 201-900-032	1	Call Data Accumulator (CDA) Translations — No. 1A AMARC, Generic 3
201-850-512	2	Incoming Intercept ANI Trunk Circuit SD-97571-01 — Tests Using Portable Test Set J94747A — No. 1 Trunk Concentrator	● 201-900-033	2	Billing Data Transmitter (BDT) Translations — No. 1A AMARC, Generics 3 and 4
201-850-513	2	Incoming Intercept ONI-1 Trunk Circuit SD-97572-01 — Tests Using Portable Test Set J94747A — No. 1 Trunk Concentrator	● 201-900-034	2	No. 3 ESS Sensor Translations for No. 1A AMARC, Generics 3 and 4
201-850-514	4	Incoming Intercept ONI-3 Loop Signaling Trunk Circuit SD-97573-01 — Tests Using Portable Test Set J94747A — No. 1 Trunk Concentrator	● 201-900-035	2	Call Data Transmitter (CDT) Translations — No. 1A AMARC, Generics 3 and 4
201-850-515	4	Incoming Intercept ONI-3 E and M Lead Signaling Trunk Tests Using Portable Test Set J94747A — No. 1 Trunk Concentrator	Addendum	2	
201-850-521	4	Incoming Trunk Circuit SD-97577-01 for Directory Assistance Traffic — Tests Using Portable Test Set SD-97576-01 (J94747A) — No. 1 Trunk Concentrator	● 201-900-036	1	No. 5 Electronic Tandem Switching and Voice Storage System Translations — No. 1A AMARC, Generics 3 and 4
201-850-522	3	Outgoing Trunk SD-97578-01 — Tests Using Portable Test Set SD-97576-01 (J94747A) — No. 1 Trunk Concentrator	Addendum	1	
			● 201-900-037	1	No. 2B and No. 5 Electronic Switching Systems — Translations — No. 1A AMARC, Generic 4
			● 201-900-050	2	Introduction to Nongeneric Parameter Data (NPD) — Required — No. 1 and 1A AMARC
			● 201-900-051	2	Physical Description — No. 1 AMARC
			● 201-900-052	2	Description of Nongeneric Parameter Data (NPD) Tables — No. 1 AMARC
			● 201-900-053	2	Call Data Accumulator (CDA) Translations — No. 1 AMARC
			● 201-900-054	2	Billing Data Transmitter (BDT) Translations — No. 1 AMARC
			● 201-900-055	2	Preparation of Nongeneric Parameter Data (NPD) Forms — No. 1 AMARC — General
			● 201-900-056	2	Preparation of Nongeneric Parameter Data (NPD) Forms — Common Parameters — No. 1 AMARC
<b>201-9 Billing Systems</b>					
<b>201-900 AMARC (Automatic Message Accounting Recording Center)</b>					
201-900-010	2	Operation, Maintenance, and Management — No. 1 AMARC			

Number	Issue	Subject	Number	Issue	Subject
● 201-900-057	2	Preparation of Nongeneric Parameter Data (NPD) Entity Parameters — No. 1 AMARC	● 201-900-078	1	Preparation of Nongeneric Parameter Data (NPD) Forms — Channel Parameters — No. 1A AMARC
● 201-900-058	2	Preparation of Nongeneric Parameter Data (NPD) Forms — Channel Parameters — No. 1 AMARC	● 201-900-079	1	Preparation of Nongeneric Parameter Data (NPD) Forms — Special Number Parameters — No. 1 AMARC
● 201-900-059	2	Preparation of Nongeneric Parameter Data (NPD) Forms — Special Number Parameters — No. 1 AMARC	● 201-900-080	1	Reproducible Nongeneric Parameter Data (NPD) Forms — No. 1A AMARC, Generic 2
● 201-900-060	2	Reproducible Nongeneric Parameter Data (NPD) Forms — No. 1 AMARC	● 201-900-081	1	Nongeneric Parameter Data — No. 1A AMARC Dump Messages
● 201-900-061	2	Nongeneric Parameter Data — No. 1 AMARC Dump Messages	● 201-900-082	1	Nongeneric Parameter Data (NPD) — Other No. 1A AMARC Administrative Records
● 201-900-062	2	Nongeneric Parameter Data (NPD) — Other No. 1 AMARC Administrative Records	● 201-900-083	1	Administrative Considerations for Growth and Rearrangements
● 201-900-063	2	Administrative Considerations for Growth and Rearrangements — No. 1 AMARC	● 201-900-084	1	No. 3 ESS Terminal Translations — No. 1A AMARC
● 201-900-070	1	Introduction to Nongeneric Parameter Data (NPD) — Required for No. 1A AMARC- Generic 2 — Billing Systems — Supplemental Information — Central Offices	201-900-101	2	No. 1 AMARC — Description
201-900-071	1	Physical Description — No. 1A AMARC, Generic 2 — Supplemental Information — Central Offices	201-900-102	2	230A Repeater SD-5P001-01 — No. 1 and No. 1A AMARC
● 201-900-072	1	Description of Nongeneric Parameter Data (NPD) Tables — No. 1A AMARC, Generic 2	201-900-103	2	Description — No. 1A AMARC, Generics 1, 2, and 3
● 201-900-073	1	Call Data Accumulator (CDA) Translations — No. 1A AMARC	201-900-104	1	No. 1A AMARC, Generic 4 Description
● 201-900-074	1	Billing Data Transmitter (BDT) Translations — No. 1A AMARC	201-900-300	2	Software Growth Procedures — No. 1 AMARC
● 201-900-075	1	Preparation of Nongeneric Parameter Data (NPD) Forms — No. 1A AMARC — General	201-900-301	2	Routine Procedures — No. 1 AMARC
● 201-900-076	1	Preparation of Nongeneric Parameter Data (NPD) Forms — Common Parameters — Generic 2 — Supplemental Information — Central Offices	201-900-302	2	Operating Procedures — No. 1 AMARC, Generic 3, 4, and 5
● 201-900-077	1	Preparation of Nongeneric Parameter Data (NPD) Entity Parameters — No. 1A AMARC — Generic 2	201-900-303	2	Emergency Procedures — No. 1 AMARC
			201-900-304	2	Fault Isolation Procedures — No. 1 AMARC
			201-900-305	3	Date and Time Change Procedures — No. 1 AMARC
			201-900-306	3	Data Set Interface and Auxiliary Functions (DSIAF) Diagnostics — Loading Procedure and Interpretation — No. 1 AMARC
			201-900-307	3	Nongeneric Parameter Data Procedures — No. 1 AMARC
			201-900-308	1	Operator Analysis of System Related Trouble Messages — No. 1 AMARC
			201-900-309	2	Operator Analysis of Step-by-Step Channel Troubles — No. 1 and No. 1A AMARC

Number	Issue	Subject	Number	Issue	Subject
201-900-310	2	Operator Analysis of BDT Channel Troubles — No. 1 and No. 1A AMARC	● 201-900-611	1	Common Systems — Network Switching Engineering — No. 1A AMARC, Generic 3
201-900-313	1	Operator Analysis of the No. 5 Crosbar Electronic Translator System (ETS) and Local Automatic Message Accounting — Computer (LAMA-C) — Channel Troubles — No. 1 and No. 1A AMARC	● 201-900-612	1	Common Systems — Network Switching Engineering — No. 1A AMARC, Generic 4
201-900-314	1	Operator Analysis of No. 3 Electronic Switching System (ESS) Channel Troubles — No. 1 and No. 1A AMARC	201-900-700	1	Prebilling Failure Performance Reporting — Message Billing Failure Processing
201-900-315	1	Call Data Transmitter (CDT) — Operator Analysis of Channel Troubles — No. 1A AMARC	<b>201-901 BDT (Billing Data Transmitter)</b>		
201-900-321	2	Routine Procedures — No. 1A AMARC, Generics 2 and 3	Addendum	1	
201-900-322	2	Operating Procedures — No. 1A AMARC, Generics 2 and 3	201-901-101	3	Description
201-900-323	1	Emergency Procedures — No. 1A AMARC, Generics 1, 2, and 3	201-901-301	4	Trouble Sectionalizing
201-900-324	1	No. 1A AMARC — Fault Isolation Procedures, Generics 1, 2, and 3	201-901-302	3	Central Office AMA Equipment With Billing Data Transmitter (BDT) — Precautionary Measures — Common Systems
201-900-325	1	Date and Time Change Procedures — No. 1A AMARC, Generics 1, 2, and 3	Addendum	2	
201-900-326	1	Data Set Interface and Auxiliary Functions (DSIAF) Diagnostics — Loading Procedure and Interpretation — No. 1A AMARC, Generics 1 and 2	201-901-501	2	Recorder and Recorder Connector Circuit SD-25872-01 — Operation Tests for Offices Equipped With Billing Data Transmitters
201-900-327	1	Nongeneric Parameter Data Procedures — No. 1A AMARC, Generics 1, 2, and 3	Addendum	1	
201-900-328	1	Operator Analysis of System Related Trouble Messages — No. 1 AMARC	201-901-502	4	Acceptance Tests
Addendum	2		<b>201-902 CAMA-C (Centralized Automatic Message Accounting — Computerized)</b>		
201-900-330	1	RP06 Disk — Description and Operating Procedures — No. 1A AMARC	201-902-010	2	Operation, Maintenance, and Management — No. 4 Crossbar and Crossbar Tandem Offices
Addendum	1		201-902-101	2	Description Information — 4A, 4M Toll, and Crossbar Tandem Offices
201-900-331	1	Diagnostic Loading Procedure — No. 1A AMARC, Generic 3	● 201-902-200	1	Line and Trunk Administration — 4A, 4M, and Crossbar Tandem Offices
201-900-340	1	Acceptance Tests — No. 1 AMARC, Generic 3	Addendum	1	
● 201-900-610	2	Common Systems — Network Switching Engineering — No. 1A AMARC, Generic 2	201-902-301	2	Emergency Action Procedures — 4A, 4M Toll, and Crossbar Tandem Offices
			201-902-302	2	Multiplexor/Scanner Trouble Locating and Test
			Addendum	1	
			201-902-303	2	Recent Change Procedures — 4A, 4M Toll and Crossbar Tandem Offices

Number	Issue	Subject
201-902-304	2	Hourly and Daily Maintenance Reports — Procedures and Message Interpretation — 4A, 4M Toll and Crossbar Tandem Offices
201-902-305	2	Time Change Procedures
201-902-306	3	Generic Program Overwrites and Application of Broadcast Warning Change Notices — 4A, 4M Toll and Crossbar Tandem Offices
201-902-307	2	Disk Handling Procedures
201-902-308	2	Remote Teletypewriter — Description, Operation, and Maintenance — 4A, 4M Toll and Crossbar Tandem Offices
201-902-309	3	Monitoring Tests — 4A, 4M Toll, and Crossbar Tandem Offices
Addendum	2	
201-902-310	2	Program Loading Procedures — 4A, 4M Toll and Crossbar Tandem Offices
201-902-501	4	Routine Tests and Operations — 4A, 4M Toll and Crossbar Tandem Offices
201-902-502	2	Recorder and Recorder Connection Circuit SD-25872-01 Tests — 4A, 4M Toll and Crossbar Tandem
201-902-503	2	Equipped With ANIS or MECCA Feature Tests — 4A, 4M Toll and Crossbar Tandem Offices

Number	Issue	Subject
<b>201-903 HOBIS/CCRS (Hotel Billing Information System/Centralized Credit Refund System)</b>		
Addendum	1	
201-903-101	2	Description for Generic 1
201-903-102	1	Description for Generic 2
201-903-301	4	Emergency Action and Restoration Procedures for Generics 1 and 2
201-903-302	4	Routine Operating Procedures for Generics 1 and 2
201-903-303	2	Trouble Sectionalizing for Generics 1 and 2
201-903-501	1	Maintenance Test Procedures
201-903-503	2	Acceptance Tests for Generic 2

**201-905 AMA (Automatic Message Accounting)**

- 201-905-100 9/92 AMA Reference Manual
- 201-905-200 9/92 ASURE User Guide

**201-906 COBRA (Customer Order Entry and Billing Revenue Administration)**

- 201-906-100 1 COBRA On-Line Guide
- 201-906-101 1 Tabs for COBRA On-Line Guide