

NUMERICAL INDEX — DIVISION 626
CABLES, WIRE, AND APPARATUS GENERAL

1. GENERAL

- 1.01** This section provides an index of System-issued sections in Division 626.
- 1.02** A bullet (●) indicates an item that has been added or changed since the previous issue of the index.
- 1.03** A square (□) indicates a canceled item. Information relating to the cancellation, if necessary, will be shown in a note following the item. Canceled items and related notes will be deleted upon reissue of the index.
- 1.04** A spade (♠) indicates an item not on microfiche. This index indicates the latest issue for hard-copy BSPs. In some cases, the microfiche BSP will reflect the next higher issue as a result of the reduced distribution interval.
- 1.05** "Add" is the abbreviation for Addendum.

2. LAYERS

2.01 This division is arranged in layers as follows:

- 626-0 Indexes and General Information
- 1 Standard 83n F/M Pulp and Plastic Insulated Conductor Cables
 - 2 Cable Description, Sizes and Reel Lengths
 - 3 Buried Wire
 - 5 Standard Connectorized Cable
 - 7 Cable Characteristics, Physical
 - 8 Nonstandard-Limited Availability (NS-LA)

3. INDEX

Section Number	Issue	Subject
626-0 INDEXES AND GENERAL INFORMATION		
626-000 Indexes		
● ♠ 626-000-000	85	Numerical Index — Division 626 — Cables — General
626-020 General		
626-020-006	1	Cable Conductors
626-020-011	5	Designations for Cable Conductors, Conductor Insulations, Sheaths, and Protective Coverings
626-020-013	1	Resistance of Cable — Shields and Sheaths
● 626-020-020	3	Standard Plastic Sheaths
● 626-020-021	1	Superseded Plastic Sheaths
626-020-050	1	Provision of End Seals, End Caps, Pulling Eyes, Bond Wires, Air Pressure, and Reel Protection
626-020-101	2	Empty Reels — Loading Arrangements
626-020-200	3	Removing and Placing Lags on Cable Reels — Bundling Lags and Associated Reel Accessories
626-030 Cable Packaging and Shipping Information		
626-030-005	1	Cable Shipping Reels — Description, Dimensions, and Weights

Section Number	Issue	Subject
626-1 STANDARD 83nF/M PULP AND PLASTIC INSULATED CONDUCTOR CABLES		
626-100 Standard 83nF/M Pulp-Insulated Conductor Cables		
626-100-005	2	ADA and KDA — Description, Use, and Reel Lengths
626-100-006	3	CD-Series of Multiunit Pulp (MUP) Cable — Description, Use, and Reel Lengths
626-101 Standard 83nF/M Plastic-Insulated Conductor Cables		
Add 626-101-005	1	
626-101-005	3	Air Core PIC and DEPIC Cables — Nonscreened and Screened — Description, Use, and Reel Lengths
626-101-010	3	Waterproof PIC and DEPIC Cables Nonscreened and Screened — Description, Use, and Reel Lengths
626-101-015	1	Waterproof PIC High Dielectric Strength Cables — Description, Use, and Reel Lengths
626-101-030	2	PIC and Pulp Steampath Cables — Description, Use, and Reel Lengths
626-105 Standard LOCAP Carrier Cables		
626-105-007	2	MAT MCR Cable — Description, Use, and Reel Lengths
626-105-008	1	ICOT (MLM and MCM) T1/T1C Carrier Cables — Description, Use, and Reel Lengths
626-105-010	1	T2 System LOCAP Cables — Description, Use, and Reel Lengths
626-107 Standard Miscellaneous Cables		
626-107-005	1	PE-PVC Insulated Terminating Cables — 22- and 24-Gauge
626-108 Standard Lightguide Cables		
626-108-101	1	LGA1-Type Lightguide Cable and Innerduct — Description, Use, and Reel Lengths
626-2 CABLE DESCRIPTION, SIZES AND REEL LENGTHS		
626-200 Cable Sizes and Reel Lengths		
626-200-114	4	PIC Cables — CA-1727 Type
626-200-135	3	CCTV Coaxial Cable
Add 626-200-136	1	
626-200-136	2	SS (Serrated Seam) 0.375-Inch Coaxial Cables
626-200-137	1	Video Pair Cables

NOTICE
 Not for use or disclosure outside the
 Bell System except under written agreement

SECTION 626-000-000

Section Number	Issue	Subject
626-200-138	1	Nonquadded Composite Exchange Cables
626-225 Cable Description		
626-225-107	2	Cable Sheaths — Lead, Lepeth, and Polyethylene Jacketed Lead and Lepeth
Add 626-225-108	1	
626-225-108	4	Outer Protection — Buried, Underground, and Aerial — Description and Use
626-225-109	1	Wire Armor Protection
626-3 AERIAL AND BURIED WIRE		
626-300-100	3	Description
626-300-126	1	F Drop Wire and F Multiple Drop Wire — Description
626-5 STANDARD CONNECTORIZED CABLE		
Add 626-500-101	1	
626-500-101	2	Connectorized Exchange Cable Splicing (CONECS) System ("CONECS")
626-500-125	3	40-Type Cabinets — Hardware and Materials
626-7 CABLE CHARACTERISTICS, PHYSICAL		
General		
626-759-005	2	Index of Cable CA-Drawing
Add 626-759-020	1	
626-759-020	1	Lead Sheaths
Add 626-759-025	1	
626-759-025	3	Outer Protection — Buried, Underground, and Aerial — Description and Use
626-759-030	2	Wire Armor Protection
626-759-040	1	Cable Diameters and Weights
626-759-050	1	Cable Reels — Capacity of Land and Wire-Armored (Submarine) Cable Reels
Standard Exchange Cables		
Add 626-759-130	1	
626-759-130	2	Standard Nonquadded Composite Exchange Cables
626-759-131	1	Superseded Nonquadded Composite — Exchange Cables
626-759-152	2	PIC Cable — 19-Gauge 0.066 μ F — Type CA-1727
626-759-157	2	Polyethylene-Insulated Conductor (Air Core) Cable — 17-Gauge 83nF-Type AHC
626-759-158	2	Polyethylene-Insulated Conductor (Air Core) Cable — 20-Gauge 83nF-Type AHD
626-759-171	2	Superseded Textile- and Plastic-Insulated Terminating and Riser Cables
626-759-190	3	Standard Video Pair Cables

Section Number	Issue	Subject
626-759-191	1	Replacement Video Pair Cables
626-759-192	1	Superseded Video Pair Cable
626-759-195	1	Standard Stub Cables
626-759-196	1	Superseded Stub Cables
Coaxial Cables for TV Service		
626-759-201	3	Disc-Insulated — For CATV and CCTV
626-759-202	1	Expanded Insulation — For CATV and CCTV
626-759-203	2	Solid Insulation — For CATV and CCTV
Wire Armored Cables		
626-759-250	2	Exchange Type
Toll Cables		
626-759-300	4	Quadded Toll Cable — General
Add 626-759-301	1	
626-759-301	2	Standard Quadded Cables
Add 626-759-302	2	
626-759-302	2	Superseded Quadded and Nonquadded Toll Cables
626-759-303	2	Superseded Spiral-Four Disc-Insulated Quadded Cable
626-759-304	2	Building-Out Cables
626-759-305	2	24-Gauge Quadded Protective Cables
626-759-306	2	Emergency Toll Cable — 22-Gauge Quads
626-759-350	3	Standard SS (Serrated Seam) Coaxial Toll Cables
626-759-351	1	Replacement SS (Serrated Seam) Coaxial (0.375-Inch)
626-759-352	1	Superseded SS (Serrated Seam) 0.270- and 0.375-Inch — Coaxial Toll Cables
Superseded Exchange Cables		
626-759-400	1	Superseded Exchange Cables
626-759-405	4	Exchange Cables — 16-Gauge Cable — Type NH
626-759-408	1	Exchange Cables — 19-Gauge Cable — Type ANB
626-759-409	2	Exchange Cables — 19-Gauge Cable — Type DNB
626-759-410	2	Exchange Cables — 19-Gauge Cable — Type GNB
626-759-415	2	Exchange Cables — 19-Gauge Cable — Type CBN
626-759-416	2	Exchange Cables — 19-Gauge Cable — Type ENB

Section Number	Issue	Subject	Section Number	Issue	Subject
626-759-417	2	Exchange Cables — 19-Gauge Cable — Type FNB	626-759-470	1	Exchange Cables — 28-Gauge Cable — Type SW
626-759-425	2	Exchange Cables — 22-Gauge Cable — Type BSA	626-759-481	1	Exchange Cables — 17-Gauge Aluminum Cable — Type ANC
626-759-426	2	Exchange Cables — 22-Gauge Cable — Type CSA	626-759-482	1	Exchange Cables — 20-Gauge Aluminum Cable — Type AND
626-759-427	2	Exchange Cables — 22-Gauge Cable — Type DSA	626-759-483	1	Exchange Cables — 22-Gauge Aluminum Cable — Type ASF
626-759-428	2	Exchange Cables — 22-Gauge Cable — Type ESA	626-759-490	1	Superseded Plastic-Insulated Conductor (Air Core) Cable — General
626-759-429	2	Service Cables	626-759-491	1	Superseded Plastic-Insulated Conductor (Air Core) PIC — Cable 19-Gauge 83 nf
626-759-440	2	Exchange Cables — 24-Gauge Cable — Type ASM	626-759-492	1	Superseded Plastic-Insulated Conductor (Air Core) PIC — Cable 19-Gauge 66nf
626-759-441	1	Exchange Cables — 24-Gauge Cable — Type BSM	626-759-493	1	Superseded Plastic-Insulated Conductor (Air Core) PIC — Cable 22-Gauge
626-759-442	2	Exchange Cables — 24-Gauge Cable — Type CSM	626-759-494	1	Superseded Plastic-Insulated Conductor (Air Core) PIC — Cable 24-Gauge 83nf
626-759-443	2	Exchange Cables — 24-Gauge Cable — Type DSM	626-759-495	1	Superseded Plastic-Insulated Conductor (Air Core) PIC — Cable 26-Gauge 83nf
626-759-444	1	Exchange Cables — 24-Gauge Cable — Type ESM	626-759-496	1	Superseded Plastic-Insulated Conductor (Air Core) PIC — Cable Self-Supporting Type
626-759-445	1	Exchange Cables — 24-Gauge Cable — Type FSM			
626-759-460	2	Exchange Cables — 26-Gauge Cable — Type AST	626-8 NONSTANDARD-LIMITED AVAILABILITY (NS-LA)		
626-759-461	2	Exchange Cables — 26-Gauge Cable — Type BST	626-800-090	2	Pulp-Insulated Conductor Cables Nonscreened and Screened — Description, Use, and Reel Lengths
626-759-462	1	Exchange Cables — 26-Gauge Cable — Type CST	626-800-095	1	Screened, Air Core, and Waterproof Plastic-Insulation Conductor Cable — Description, Use, and Reel Lengths — Nonstandard/Limited Availability (NS/LA)
626-759-463	1	Exchange Cables — 26-Gauge Cable — Type DST			